



# NHCLV Opioid Use Disorders and Trauma Informed Care TeleECHO™ Clinic Patient Case Presentation

Date:                      Presenter:                      ECHO ID:

**PLEASE STATE YOUR QUESTION FOR THE TELEECHO SESSION:**

Help with diagnosis                      Help with medication                      Help with non-medication treatment

Patient/Client is aware of presentation    Yes    No    Patient/Client helped develop the question    Yes    No

**Age:**                      **Gender:** M    F    O    **Race/Ethnicity/Language:**

**Strengths:**

**History of ACES/Current Violence:**

**Social History/Social Support:**

Housing

Legal Involvement:

**Substance Use History:**

Education

Employment/employability

Medical/Behavioral Health Comorbidities	Medications
1.	1.
2.	2.
3.	3.
4.	4.
5.	5.
6.	6.
7.	7.
8.	8.

PDMP Checked: Yes                      No                      Pertinent Findings:

**LABs as indicated (most recent UDS if available):**



# NHCLV

## Opioid Use Disorders and Trauma Informed Care

### TeleECHO™ Clinic Patient Case Presentation

<b>DSM V Criteria</b> <b>Substance Use Disorder Diagnostic Criteria</b> (Must meet at least 2 criteria be met within a 12 month period)  Substance(s): _____	<b>Substance 1</b>  <input style="width: 100px; height: 20px;" type="text"/>  <b>Meets criteria?</b>  Yes    No	<b>Substance 2</b>  <input style="width: 100px; height: 20px;" type="text"/>  <b>Meets criteria?</b>  Yes    No
1. Substances are often taken in larger amounts or over a longer period of time than intended.		
2. There is a persistent desire or unsuccessful efforts to cut down or control substance use.		
3. A great deal of time is spent in activities necessary to obtain the substance, use the substance, or recover from its effects.		
4. Craving, or a strong desire to use substances.		
5. Recurrent substance use resulting in failure to fulfill major role obligations at work, school or home.		
6. Continued substance use despite having persistent or recurrent social or interpersonal problems caused or exacerbated by the effects of substances.		
7. Important social, occupational or recreational activities are given up or reduced because of substance use.		
8. Recurrent substance use in situations in which it is physically hazardous		
9. Continued use despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by substances.		
10. *Tolerance, as defined by either of the following: (a) a need for markedly increased amounts of substances to achieve intoxication or desired effect (b) markedly diminished effect with continued use of the same amount of an substance		
11. *Withdrawal, as manifested by either of the following: (a) the characteristic substance withdrawal syndrome (b) the same (or a closely related) substance are taken to relieve or avoid withdrawal symptoms		



# NHCLV Opioid Use Disorders and Trauma Informed Care TeleECHO™ Clinic Patient Case Presentation

**PAST Behavioral Health Treatments/Community Supports/Medications for Relapse Prevention:**

**What Motivates Patient for Change:**

**Proposed Diagnoses:**

- 1.
- 2.
- 3.

**Goals for Treatment (indicate if goal is shared goal, clinical goal or patient goal):**

- 1.
- 2.
- 3.

**Proposed Treatment Plan:**

**By initialing here \_\_\_\_\_ you have understood that Project ECHO case consultations, do not create or otherwise establish a provider-patient relationship between any UNMHSC clinician and any patient whose case is being presented in a Project ECHO setting.**